

TRANBERG® JUNCTION BOX

Type 1058 End Seal, Heat Trace w/ Indicator Lamp

Zone 1, Zone 2 & Safe Area



Tranberg heat trace boxes are represented in most of the oil installations in the North Sea, and also petrochemical industries and other industries subjected to rough environments.

Tranberg has designed and manufactured heat tracing equipment and heating applications for rough environments for more than 25 years.

Our product range includes therefore a number of different heat tracing junction boxes.

Application

- Hazardous areas
- Chemical and petrochemical industries
- Industrial plants (for frost protection or temperature maintenance)
- According to NORSOK requirements

Features and benefits

- High ingress protection. IP66
- Manufactured in acid proof stainless steel (AISI 316L)
- Stainless steel type label spot welded to the cover.
- Maximum strength and corrosion resistance.
- High operational reliability.
- Low lifetime maintenance cost.


Equipped with

- 1 pc. Transition unit with stopping plug

Approvals and certificates

ATEX: Presafe 14ATEX4124

IECEX: IECEX PRE 14.0001



Technical Data

| | |
|---------------------|-----------------------|
| Ingress Protection: | IP66 |
| Material: | AISI 316L / EN 1.4404 |
| Finish: | Bright chemical dip |
| Voltage: | 12-254 V AC/DC |
| Tamb (Operation): | -50°C to +50°C |

TRANBERG STAHL

THE STRONGEST LINK.

R. STAHL TRANBERG AS

Main office | Strandsvingen 6 | N-4032 Stavanger, Norway | T +47 51 57 89 00 | E info.no-st@r-stahl.com | stahl-tranberg.com

Oslo office | Lohrtoppen 2 | N-1470 Lørenskog, Norway | T +47 24 08 44 10 | E info.no-os@r-stahl.com | stahl-tranberg.com

TRANBERG® JUNCTION BOX

Type 1058 End Seal, Heat Trace w/ Indicator Lamp

Zone 1, Zone 2 & Safe Area

| Description | Weight | Part No. |
|---|---------------|-----------|
| Junction box with indicator lamp, Bright chemical dip, Pipe mounted | Approx 1,5 kg | 1058 1105 |
| Junction box with indicator lamp, Bright chemical dip, Wall mounted | Approx 1,5 kg | 1058 1107 |

| Description Accessories | Weight | Part No. |
|---|----------|----------|
| Connection kit Pipe Mounting for Raychem Cables: 3BTV-5BTV-10QTVR-15QTVR-XTV-VPL-HTV 5x11 - w/Termination kit C25-21 - HOT | 0,53 kg. | 9179 223 |
| Connection kit Pipe Mounting for Raychem Cables: 8BTV-10BTV-20QTVR-KTV 5x15 - w/Termination kit C25-21 - HOT | 0,53 kg. | 9179 218 |
| Connection kit Pipe Mounting for all Raychem Cables 5x11/5x15 - w/Termination kit C25-21 - HOT | 0,53 kg. | 9179 220 |
| Connection kit Pipe Mounting for Raychem Cables: 3BTV-5BTV-10QTVR-15QTVR-XTV-VPL-HTV 5x11 - w/Termination kit C25-100 - COLD | 0,53 kg. | 9179 225 |
| Connection Kit Pipe Mounting for Raychem Cables: 8BTV-10BTV-20QTVR-KTV 5x15 - w/Termination kit C25-100 - COLD | 0,53 kg. | 9179 199 |
| Connection kit Pipe Mounting for all Raychem Cables 5x11/5x15 - w/Termination kit C25-100 - COLD | 0,53 kg. | 9179 215 |
| <i>Note: Please see datasheet TPS5687, connection kit for wall mounting, for more part numbers and details on connection kit.</i> | | |
| Elevator for high temperature line | 0,1 kg. | 6071 |
| Drainplug/Breather Exe - M25-9mm w/Lock nut - Brass | 0,1 kg. | 7312 106 |
| Trafolyte label with mounting kit | | 9090 025 |



R. STAHL TRANBERG AS

Main office | Strandsvingen 6 | N-4032 Stavanger, Norway | T +47 51 57 89 00 | E info.no-st@r-stahl.com | stahl-tranberg.com

Oslo office | Luhrtoppen 2 | N-1470 Lørenskog, Norway | T +47 24 08 44 10 | E info.no-os@r-stahl.com | stahl-tranberg.com

TRANBERG® JUNCTION BOX

Type 1058 For Heat Trace Wall Mounted

Zone 1, Zone 2 & Safe Area

Dimensions

